

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method of sequencing a target region of a nucleic acid template, comprising:

- a) conducting a nucleic acid polymerization reaction on a solid support, by forming a reaction mixture, said reaction mixture including a nucleic acid template, a primer, a nucleic acid polymerizing enzyme, and one terminal-phosphate-labeled nucleoside polyphosphate with a phosphatase activatable label which nucleoside polyphosphate is substantially non-reactive to phosphatase, said nucleoside polyphosphate is selected from a nucleoside with a natural base or a base analog wherein a component of said reaction mixture or complex of two or more of said components, is immobilized on said solid support, and said component or components are selected from the group consisting of said nucleic acid template, said primer, and said nucleic acid polymerizing enzyme,
and

- said reaction results in production of labeled polyphosphate if said terminal-phosphate-labeled nucleoside polyphosphate contains a base complementary to the template base at the site of polymerization;
- b) subjecting said reaction mixture to a phosphatase treatment to produce a detectable species if said labeled polyphosphate is produced in step a), ~~wherein said detectable species is readily distinguishable from the labeled polyphosphate or the terminal-phosphate-labeled nucleoside polyphosphate;~~
- c) detecting said detectable species without first separating by charge of said detectable species from the reaction mixture;
- d) continuing said polymerization reaction by adding a different terminal-phosphate-labeled nucleoside polyphosphate with a phosphatase activatable label selected from the remaining natural bases or base analogs to said reaction mixture and repeating steps b and c; and
- e) identifying said target region sequence from the identity and order of addition of terminal-phosphate labeled nucleoside polyphosphates resulting in production of said detectable species.

Claim 2 (original): The method of claim 1, wherein said nucleic acid template is immobilized on said solid support in said conducting step.

Claim 3 (original): The method of claim 1, wherein said primer is immobilized on said solid support in said conducting step.

Claim 4 (original): The method of claim 1, wherein said nucleic acid template and said primer are first hybridized and then immobilized on said solid support in said conducting step.

Claim 5 (original): The method of claim 1, wherein said nucleic acid polymerization enzyme is immobilized on said solid support in said conducting step.

Claim 6 (original): The method of claim 1, wherein said steps are carried out in a sequential manner in a flow through or a stop-flow system.

Claim 7 (original): The method of claim 1, further comprising the step of quantifying said nucleic acid sequence.

Claim 8 (original): The method of claim 1, further comprising: quantifying said nucleic acid sequence by comparing spectra produced by said detectable species with a spectra produced from a known standard.

Claim 9 (original): The method of claim 1, wherein said nucleic acid polymerizing enzyme is a polymerase.

Claim 10 (original): The method of claim 1, wherein said nucleic acid template is an RNA template.

Claim 11 (original): The method of claim 1, wherein said nucleic acid template is a DNA template.

Claim 12 (original): The method of claim 1, wherein said nucleic acid template is a natural or synthetic oligonucleotide.

Claim 13 (original): The method of claim 1, wherein said conducting step and said subjecting step are carried out simultaneously.

Claim 14 (original): The method of claim 1, wherein said terminal phosphate-labeled nucleoside polyphosphate comprises four or more phosphate groups in the polyphosphate chain.

Claim 15 (original): The method of claim 1, wherein said detectable species is produced in amounts substantially proportional to the amount of nucleic acid sequence.

Claim 16 (original): The method of claim 1, wherein said phosphatase is an acid phosphatase, an alkaline phosphatase or another phosphate transferring enzyme.


Claim 17 (original): The method of claim 1, further comprising including one or more additional detection reagents in said polymerization reaction.

Claim 18 (original): The method of claim 17, wherein said one or more additional detection reagents are each independently, capable of a response that is detectably different from each other and from said detectable species.

Claim 19 (original): The method of claim 17, wherein one or more of said one or more additional detection reagents is an antibody.

Claim 20 (original): The method of claim 1, wherein said detectable species is detectable by a property selected from the group consisting of color, fluorescence emission, chemiluminescence, mass change, reduction/oxidation potential and combinations thereof.

Claim 21 (original): The method of claim 1, wherein said terminal-phosphate-labeled nucleoside polyphosphate is represented by the formula:



wherein

P is phosphate (PO₃) and derivatives thereof;

n is 2 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety;

P-L is a phosphorylated label which becomes independently detectable when the phosphate is removed,

wherein L is an enzyme-activatable label containing a hydroxyl group, a sulfhydryl group or an amino group suitable for forming a phosphate ester, a thioester or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide.

Claim 22 (original): The method of claim 21, wherein said enzyme-activatable label is selected from the group consisting of chemiluminescent compounds, fluorogenic dyes, chromogenic dyes, mass tags, electrochemical tags and combinations thereof.

Claim 23 (original): The method of claim 22, wherein said fluorogenic dye is selected from the group consisting of 2-(5'-chloro-2'-phosphoryloxyphenyl)-6-chloro-4-(3H)-quinazolinone, fluorescein diphosphate, fluorescein 3'(6')-*O*-alkyl-6'(3')-phosphate, 9H-(1,3-dichloro-9,9-dimethylacridin-2-one-7-yl)phosphate, 4-methylumbelliferyl phosphate, resorufin phosphate, 4-trifluoromethylumbelliferyl phosphate, umbelliferyl phosphate, 3-cyanoumbelliferyl phosphate, 9,9-dimethylacirdin-2-one-7-yl phosphate, 6,8-difluoro-4-methylumbelliferyl phosphate, and derivatives thereof.

Claim 24 (original): The method of claim 22, wherein said chromogenic dye is selected from the group consisting of 5-bromo-4-chloro-3-indolyl phosphate, 3-indoxyl phosphate, p-nitrophenyl phosphate and derivatives thereof.

Claim 25 (original): The method of claim 22, wherein said chemiluminescent compound is a phosphatase-activated 1, 2-dioxetane compound.

Claim 26 (original): The method of claim 25, wherein said 1,2-dioxetane compound is selected from the group consisting of 2-chloro-5-(4-methoxyspiro[1,2-dioxetane-3,2'-(5-chloro-)tricyclo[3,3,1-1^{3,7}]-decan]-1-yl)-1-phenyl phosphate, chloroadamant-2'-ylidenemethoxyphenoxy phosphorylated dioxetane, 3-(2'-spiroadamantane)-4-methoxy-4-(3''-phosphoryloxy)phenyl-1,2-dioxetane and derivatives thereof.

Claim 27 (original): The method of claim 21, wherein said sugar moiety is selected from the group consisting of ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-dideoxyribosyl, 2', 3'-didehydrideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoriboxyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 28 (original): The method of claim 21, wherein said sugar moiety is selected from ribosyl or 2'-deoxyribosyl sugar.

Claim 29 (original): The method of claim 21, wherein said nitrogen-containing heterocyclic base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 30 (original): The method of claim 1, wherein said target region of a nucleic acid template has a known sequence and wherein the order of addition of terminal-phosphate labeled nucleoside polyphosphates is based on the sequence of the target region.

Claim 31 (original): The method of claim 1, wherein said target region of a nucleic acid template has an unknown sequence and wherein the order of addition of terminal-phosphate labeled nucleoside polyphosphates occurs in a preset cycle, said preset cycle

being repeated without regard to the identity of the terminal-phosphate labeled nucleoside polyphosphates incorporated in a given cycle.

Claim 32 (currently amended): A method of sequencing a target region of a nucleic acid template, comprising:

- a) conducting a nucleic acid polymerization reaction on a solid support, by forming a reaction mixture, said reaction mixture including a nucleic acid template, a primer, a nucleic acid polymerizing enzyme, and one terminal-phosphate-labeled nucleoside polyphosphate with 4 or more phosphates~~[[,]]~~ which nucleoside polyphosphate is substantially non-reactive to phosphatase, and said nucleoside polyphosphate is selected from a nucleoside with a natural base or a base analog and

wherein a component of said reaction mixture or a complex of two or more of said components, is immobilized on said solid support, and said component or components are selected from the group consisting of said nucleic acid template, said primer, and said nucleic acid polymerizing enzyme,

and

said reaction results in production of labeled polyphosphate if said terminal-phosphate-labeled nucleoside polyphosphate contains a base complementary to the template base at the site of polymerization;

- b) detecting said labeled polyphosphate without first separating by charge of said labeled polyphosphate from the reaction mixture;
- c) continuing said polymerization reaction by adding a different terminal-phosphate-labeled nucleoside polyphosphate selected from the remaining natural bases or base analogs to said reaction mixture and repeating step b; and
- d) identifying said target region sequence from the identity and order of addition of terminal-phosphate labeled nucleoside polyphosphates resulting in production of said labeled polyphosphates.

Claim 33 (original): The method of claim 32, wherein said nucleic acid template is immobilized on said solid support in said conducting step.

Claim 34 (original): The method of claim 32, wherein said primer is immobilized on said solid support in said conducting step.

Claim 35 (original): The method of claim 32, wherein said nucleic acid template and said primer are first hybridized and then immobilized on said solid support in said conducting step.

Claim 36 (original): The method of claim 32, wherein said nucleic acid polymerization enzyme is immobilized on said solid support in said conducting step.

Claim 37 (original): The method of claim 32, wherein said steps are carried out in a sequential manner in a flow through or a stop-flow system.

Claim 38 (original): The method of claim 32, further comprising the step of quantifying said nucleic acid sequence.

Claim 39 (original): The method of claim 32, further comprising: quantifying said nucleic acid sequence by comparing spectra produced by said detectable species with a spectra produced from a known standard.

Claim 40 (original): The method of claim 32, wherein said nucleic acid polymerizing enzyme is a polymerase.

Claim 41 (original): The method of claim 32, wherein said nucleic acid template is an RNA template.

Claim 42 (original): The method of claim 32, wherein said nucleic acid template is a DNA template.

Claim 43 (original): The method of claim 32, wherein said nucleic acid template is a natural or synthetic oligonucleotide.


Claim 44 (original): The method of claim 32, further comprising including one or more additional detection reagents in said polymerization reaction.

Claim 45 (original): The method of claim 44, wherein said one or more additional detection reagents are each independently, capable of a response that is detectably different from each other and from the said labeled polyphosphate.

Claim 46 (original): The method of claim 44, wherein one or more of said one or more additional detection reagents is an antibody.

Claim 47 (original): The method of claim 32, wherein said labeled polyphosphate is detectable by a property selected from the group consisting of color, fluorescence emission, mass change, reduction/oxidation potential and combinations thereof.

Claim 48 (original): The method of claim 32, wherein said terminal-phosphate-labeled nucleoside polyphosphate is represented by the formula:



wherein

P is phosphate (PO₃) and derivatives thereof;

n is 3 or greater;

Y is an oxygen or sulfur atom;

B is a nitrogen-containing heterocyclic base;

S is an acyclic moiety, carbocyclic moiety or sugar moiety; and

P-L is a phosphorylated label,

wherein L is a label containing a hydroxyl group, a haloalkyl group, a sulfhydryl group or an amino group suitable for forming a phosphate ester, a phosphonate, a thioester or a phosphoramidate linkage at the terminal phosphate of a natural or modified nucleotide.

Claim 49 (original): The method of claim 48, wherein said label is selected from the group consisting of fluorescent dyes, colored dyes, mass tags, electrochemical tags and combinations thereof.

Claim 50 (currently amended): The method of claim 49, wherein said fluorescent dye is selected from the group consisting of a xanthene dye, a cyanine dye, a merocyanine dye,

an azo dye, a porphyrin dye, a coumarin dye, a bodipy dye and dye~~and dye~~ and derivatives thereof.

Claim 51 (original): The method of claim 49, wherein said colored dye is selected from the group consisting of an azo dye, a merrocyanine, a cyanine dye, a xanthene dye, a porphyrin dye, a coumarin dye, a bodipy dye and derivatives thereof.

Claim 52 (original): The method of claim 48, wherein said sugar moiety is selected from the group consisting of ribosyl, 2'-deoxyribosyl, 3'-deoxyribosyl, 2', 3'-dideoxyribosyl, 2', 3'-didehydrodideoxyribosyl, 2'-alkoxyribosyl, 2'-azidoribosyl, 2'-aminoribosyl, 2'-fluororibosyl, 2'-mercaptoriboxyl, 2'-alkylthioribosyl, carbocyclic, acyclic and other modified sugars.

Claim 53 (original): The method of claim 48, wherein said sugar moiety is selected from ribosyl or 2'-deoxyribosyl sugar.

Claim 54 (original): The method of claim 48, wherein said nitrogen-containing heterocyclic base is selected from the group consisting of uracil, thymine, cytosine, 5-methylcytosine, guanine, 7-deazaguanine, hypoxanthine, 7-deazahypoxanthine, adenine, 7-deazaadenine, 2,6-diaminopurine and analogs thereof.

Claim 55 (original): The method of claim 32, wherein said target region of a nucleic acid template has a known sequence and wherein the order of addition of terminal-phosphate labeled nucleoside polyphosphates is based on the sequence of the target region.

Claim 56 (original): The method of claim 32, wherein said target region of a nucleic acid template has an unknown sequence and wherein the order of addition of terminal-phosphate labeled nucleoside polyphosphates occurs in a preset cycle, said preset cycle being repeated without regard to the identity of the terminal-phosphate labeled nucleoside polyphosphates incorporated in a given cycle.

Claims 57-62 (cancelled)